



CAB & CHASSIS MODEL: 2023 FREIGHTLINER M2 106 4DR ENGINE: DD8 7.7L 360EV HP @ 2200 RPM GOV 2200 HORSEPOWER 1150 LB/FT. @ 1200 RPM ENGINE TORQUE: TRANSMISSION: ALLISON 3000 EVS 39,000 LBS. FRONT AXLE RATING 12,000 LBS REAR AXLE RATING: 27,000 LBS. **BODY MATERIAL** 

.188 5052 H32 MARINE GRADE ALUM. 188 & .125 3003 H22 ALUM. CHECKER PLATE ALUMINUM EXTRUSIONS (SUBFRAME)

<u>PUMP</u>

HALE QFLOW (5000 LPM)

FOAM SYSTEM

PROVISION FOR FUTURE INSTALLATION

WATER TANK

1000 USG POLYTANK

30 USG FOAM INTEGRATED CELL

## COMPARTMENT DIMENSIONS

	INTERIOR (APPROX.)			DOOR OPENING (APPROX.) W/ DOOR INSTALLED	
	W	Н	D	W	Н
L1	48.5	77	27	45	68
L2	68	42	27	66	33
L3	48.5	77	27	45	68
R1	48.5	77	14.5/27	45	68
R2	68	42	14.5/27	66	33
R3	48.5	77	14.5/27	45	68
B1	44	47.5	31.5	<i>3</i> 8	37

## IMPORTANT NOTES

LADDER STORAGE: -DUO SAFETY LADDERS ONE(1)900A 24' 2 SECTION ONE(1)375A 14' ROOF
ONE(1)585A 10' ATTIC FOLDING
TWO(2) PIKE POLES – 12' MAX. LENGTH

SUCTION STORAGE:

TWO(2) 6"X10' TOP REAR LS,RS.

_	-	_	-
PC	1	PRELIMINARY DRAWING	12/27/2022
/N/T.	REV.	DESCRIPTION	DATE



THIS DRAWING IS A CLOSE APPROXIMATION OF YOUR FIRE APPARATUS IN ALL CASES WHERE THE DRAWING AND THE WRITTEN SPECIFICATION DIFFER, THE SPECIFICATION SHALL PREVAIL. PLEASE WORK WITH YOUR DEALER TO ASSURE THAT THE WRITTEN SPECIFICATION REPRESENTS WHAT YOU WANT IN YOUR FINISHED PRODUCT

SALES CONCEPTUAL DRAWING ONLY ALL DIMENSIONS ARE IN INCHES

UNLESS OTHERWISE NOTED. TOLERANCES ARE: 3RD ANGLE PROJECTION THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF DEPENDABLE EMERGENCY VEHICLES

DRAWN BY: APPROVED BY:

CUSTOMER: DEV STOCK DESCRIPTION: DEV STOCK 2206 PUMPER COMMERCIAL 4DR

PAGE: SCALE: DATE: 11/07/22 DWG. #:

APPROVED BY CUSTOMER: